

Keywords:

- ☐ In stock
- ☐ Lead free
- ☐ RoHS Compliant

[Product Index](#) > [Capacitors](#) > [Ceramic Capacitors](#) > **JMK063BJ224MP-F**

All prices are in US dollars.				
Digi-Key Part Number	587-1819-6-ND	Price Break	Unit Price	Extended Price
Quantity Available	Digi-Key Stock: 19,587 Can ship immediately	1	0.16000	0.16
		10	0.11000	1.10
Manufacturer	Taiyo Yuden	50	0.06320	3.16
Manufacturer Part Number	JMK063BJ224MP-F	100	0.05230	5.23
		250	0.04400	11.00
Description	CAP CER 0.22UF 6.3V 20% X5R 0201	500	0.03686	18.43
		1,000	0.03025	30.25
Lead Free Status / RoHS Status	Lead free / RoHS Compliant	5,000	0.02558	127.88

A \$7.00 reeling fee will be applied to each reel ordered. Digi-Reels are a custom product and are non-cancelable and non-returnable.

Digi-Reel Pricing		
Quantity	Unit Price USD	Extended Price USD
<input type="text"/>		
<input type="button" value="Calculate Price"/>		




Image shown is a representation only.
Exact specifications should be
obtained from the product data sheet.

Quantity	Item Number	Customer Reference
<input type="text" value="1"/>	<input type="text" value="587-1819-6-ND"/>	<input type="text"/>
<input type="button" value="Add to Cart"/>		

When requested quantity exceeds displayed pricing table quantities, a lesser unit price may appear on your order.
You may submit a [request for quotation](#) on quantities which are greater than those displayed in the pricing table.

Datasheets	JMK063BJ224MP-F Multilayer Ceramic Cap Datasheet	Possible Substitute <ul style="list-style-type: none">587-2483-6-ND			
Product Photos	0201 (MK063)	Alternate Package This part is also available in the following packaging:			
Catalog Drawings	xMK Series_0201	Digi-Key Part Number	Manufacturer Part Number	Packaging	Quantity Available
PCN Part Number	X5R, X7R Dielectrics 23/Jan/2008	587-1819-2-ND	JMK063BJ224MP-F	Tape & Reel (TR)	15,000 - Immediate
Standard Package	1	587-1819-1-ND	JMK063BJ224MP-F	Cut Tape (CT)	19,983 - Immediate
Category	Capacitors				Unit Price
Family	Ceramic Capacitors				Minimum Quantity
Series	M				
Packaging	Digi-Reel®				
Capacitance	0.22µF				
Voltage - Rated	6.3V				
Tolerance	±20%				
Temperature Coefficient	X5R				
Mounting Type	Surface Mount, MLCC				
Operating Temperature	-55°C ~ 85°C				
Applications	General Purpose				
Ratings	-				

Package / Case	0201 (0603 Metric)
Size / Dimension	0.024" L x 0.012" W (0.60mm x 0.30mm)
Height - Seated (Max)	-
Thickness (Max)	0.013" (0.33mm)
Lead Spacing	-
Features	-
Lead Style	-
Dynamic Catalog	M Series
Other Names	587-1819-6

Report an Error