

Part # / Keyword

☐ Stocked

☐ RoHS Compliant

Log In

Create Account



Order History

Subscription

- Products
- Manufacturers
- Applications
- Services & Tools
- Catalog
- Help
- Online Catalog

All Products > Connectors > Headers & Wire Housings > TE Connectivity / AMP 102972-2

See an Error?



Larger Image


Mouser Part #: 571-1029722

Manufacturer Part #: 102972-2

Manufacturer: [TE Connectivity / AMP](#)



Description: Headers & Wire Housings 2P HEADER GOLD 15u single row

[Learn more about TE Connectivity / AMP 102972-2](#)

 [Data Sheet](#)

Images are for reference only
See Product Specifications

Add to Compare List

Share |  8+1  0

Specifications

Features

Documents (2)

My Notes

Manufacturer:

Product Category:

RoHS:

Product Type:

Type:

Series:

Pitch:

Number of Positions:

Number of Rows:

Contact Gender:

Contact Plating:

Housing Material:

Termination Style:

Mounting Style:

Mounting Angle:

Brand:

Contact Material:

Current Rating:

Flammability Rating:

Insulation Resistance:

Mating Post Length:

Operating Temperature Range:

Product Category:

Row Spacing:

Factory Pack Quantity:

Termination Post Length:

Tradename:

TE Connectivity

Headers & Wire Housings

No

Headers

Breakaway

[AMPMODU MOD II](#)

2.54 mm

2

1

Pin (Male)

Gold

Thermoplastic

Through Hole

-

Vertical

TE Connectivity / AMP

Phosphor Bronze

3 A

UL 94 V-0

5000 MOhms

8.08 mm

- 65 C to + 105 C

AMPMODU Breakaway Headers

2.54 mm

50

3.18 mm

[AMPMODU](#)

☒

☒

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

Show Similar

Real Time Availability

Stock:

9,404

Can Ship Immediately

On Order:

0

Factory Lead-Time:

10 Weeks

Quantities greater than 9404 may be subject to minimum order requirements.

Enter Quantity:

Buy

Minimum: 1
Multiples: 1

Pricing (USD)

1:

\$0.13

100:

\$0.12

500:

\$0.113

1,000:

\$0.106

2,000:

\$0.104

5,000:

\$0.102

10,000:

\$0.099

25,000:

\$0.097

50,000:

\$0.095

To add to a project, please [Log In](#).

TE Connectivity News!

Micro MATE-N-LOK Stra Covers

Providing cable assembly retention capability that meets IEC 60598-1 cable retention specifications.

[Learn More](#)

Power Triple Lock Conn System

Features 3 locking methods including CPA, TPA, and audible lock. High temp housings up to 150°C (302°F).

[Learn More](#)

2.5mm Grace Inertia Co

Next Generation Grace Inertia Connector to facilitate more stable, reliable and durable connection.

[Learn More](#)

SL-156 Connector with 7

New generation of SL-156 connectors with Terminal Position Assurance (TPA) device.

[Learn More](#)

Nanonics Duallobe Conn

Ultra-small connectors for extreme environments; developed per MIL-DTL-83513 guidelines with a few size-related modifications.

[Learn More](#)

Customers Who Bought This Item Also Bought



[GRM32ER71H106KA12L](#)

Multilayer Ceramic Capacitors MLCC - SMD/SMT 10uF ...



[C3216X5R1A107M160AC](#)

Multilayer Ceramic Capacitors MLCC - SMD/SMT 1206 ...



[22-11-2062](#)

Headers & Wire Housings VERT PCB HDR 6P GOLD FRICT ...



[ICM7212AMIP+](#)

LED Display Drivers Four Digit Display Decoder/Dri ...



[4310R-101-103LF](#)

Resistor Networks & Arrays 10K 10Pin 2% Bussed